

SPECIFICATION SHEET



Glove Style: GRIGGER



Description: Leather Palm Fabric (Candy) Back Glove. Cow split leather palm, thumb, knuckle, pull & tips and green dyed premium cow split reinforced palm, thumb & index finger. Gunn cut, wing thumb half cotton lined, cotton drill candy back, shirred with a 7cm EVA (Rubber laminated) cotton safety cuff. This glove is designed for general handling and rigging operations.

Series:
GRIGGER EVA Safety Cuff

Sizes Available:

SIZE AS PER EN 420	SIZE
10*	Large > X Large
* Indicates fit for special purpose Glove measured when laid flat and relaxed	

Cleaning & Maintenance:

Gloves should not be left in contaminated condition if re-use is intended especially if potential hazards exist. Before removal from the hands excess contaminant should first be removed however, should this not be possible, it is advisable to ease left and right hand gloves off using the gloved hand & remove the gloves without the contaminant contacting the bare hands. The gloves may then be de-contaminated with mild detergent solution, then rinsed with clean water and dried ideally with some air movement. All gloves should be thoroughly inspected before use to ensure no damage is present.

Storage:

Store the gloves the original packaging in a cool dry place and out of direct sunlight.

Packaging:

The standard packaging for the gloves are as follows. The gloves are not packed in individual bags "inbg". The gloves are packed in bundles in a polybag "plbg". The "plbg" glove bundles are placed in cardboard cartons "ctn" suitable for transportation and storage.

Obsolescence:

Stored correctly, the gloves physical properties will not change for up to two years.

General:

None of the materials or processes used in the manufacture of these products is known to be harmful to the wearer. The manufacturer has examined under the system for ensuring quality of production by means of monitoring and inspection. The gloves are designed to accommodate the basic safety requirements and standards for Personal Protective Equipment. The information contained herein is intended to assist the wearer in the selection of personal protective equipment. Actual conditions of use cannot be directly simulated in a test environment so it is therefore the responsibility of the end user and not the manufacturer or supplier to determine the gloves suitability for the intended use.

Innoxiousness:

These gloves have been tested to EN 420 pH levels comply with section 4.4.2 Chromium VI levels comply with section 4.4.3

Note:

Leather, a natural product, varies between hides due to thickness, scare tissue, etc. The minimum specified tolerance for the leather is designed to achieve these desired specifications.

GRIGGER



RIGGER REINFORCED PALM EXECUTIVE CANDY GLOVE




INTERMEDIATE DESIGN

MARKING

Dromex



CE SIZE 10



GRIGGER/EXEC 3243

Tested in accordance with the European directive for PPE (89/686/EEC) for simple design, and is compliant with EN 420.

www.dromex.net

file: dromex-spec-grigger.doc

GRIGGER

CE EN 388:1994
MECHANICAL RISKS



A ABRASION RESISTANCE
Number of cycles (6.1)

1	2	3	4	5
100	500	2000	8000	~

B BLADE CUT RESISTANCE
Index (6.2)

1	2	3	4	5
1,2	2,5	5,0	10,0	20,0

C TEAR RESISTANCE
Newton's (6.3)

1	2	3	4	5
10	25	50	75	~

D PUNCTURE RESISTANCE
Newton's (6.4)

1	2	3	4	5
20	60	100	150	~