

# SPECIFICATION SHEET

Glove Style: SPECTRA-5 (SPC01)

## Description:

Machine knitted Spectra cut resistant, ambidextrous and seamless glove. Elasticised composite knitted wrist with over-locked cuff. The spectra yarn has a stainless steel core inside.

Being seamless knit with elastic cuff and reversible (wear on either hand) these gloves are more comfortable to the wearer. Knit construction stretches for excellent fit while allowing air to circulate to keep hands dry and comfortable.

## Series:

SPECTRA-5 Composite knitted wrist.

## Sizes Available:

SIZE AS PER EN 420	SIZE
8*	Medium
9*	Large

## Cleaning & Maintenance:

Gloves should not be left in contaminated condition if re-use is intended especially if potential hazards exist. All gloves should be thoroughly inspected before use to ensure no damage is present. These gloves can be laundered with domestic detergents however strong oxidising agents must be avoided.

## Storage:

Store the gloves the original packaging in a cool dry place.

## Packaging:

The standard packaging for the gloves are as follows. The gloves are individually packed in individual bags "inbg". The "inbg" gloves are placed in cardboard cartons "ctn" suitable for transportation and storage.

## Obsolescence:

Stored correctly, the gloves physical properties will not change for up to three years.

## General:

None of the materials or processes used in the manufacture of these products is known to be harmful to the wearer. The manufacturer has examined under the system for ensuring quality of production by means of monitoring and inspection. The gloves are designed to accommodate the basic safety requirements and standards for Personal Protective Equipment. The information contained herein is intended to assist the wearer in the selection of personal protective equipment. Actual conditions of use cannot be directly simulated in a test environment so it is therefore the responsibility of the end user and not the manufacturer or supplier to determine the gloves suitability for the intended use.

## Note:

NOT FOR HEAT OR OPEN FLAME WORKING CONDITIONS

SPECTRA-5

**SPECTRA® CROUCHED 7gg**



**SIMPLE  
DESIGN**

NO MARKING ON THE GLOVES

EN388/94



4544

SIZE: L

Tested in accordance with the European directive for PPE (89/686/EEC) for simple design, and is compliant with EN 420 EN 388 & EN 407.



**DROMEX HOLDINGS**

www.dromex.net

file: dromex-spec-spectra-5.doc



**CE** EN 388:1994  
MECHANICAL RISKS



A ABRASION RESISTANCE  
Number of cycles (6.1)

1	2	3	4	5
100	500	2000	<b>8000</b>	~

B BLADE CUT RESISTANCE  
Index (6.2)

1	2	3	4	5
1,2	2,5	5,0	10,0	<b>20,0</b>

C TEAR RESISTANCE  
Newton's (6.3)

1	2	3	4	5
10	25	50	<b>75</b>	~

D PUNCTURE RESISTANCE  
Newton's (6.4)

1	2	3	4	5
20	60	100	<b>150</b>	~